



ACCESSIBILITY EVALUATION REPORT



GLOSSARY

GUIDELINE SET: set composed of one or more guidelines.

GUIDELINE: it expresses general concepts about the accessibility of Web pages and it is composed of one or more criteria (for example, "Provide text alternatives for any non-text content so that it can be changed into other forms people need, such as large print, braille, speech, symbols or simpler language").

CRITERION: it specializes concepts from a guideline, focusing on a particular aspect of the Web pages and it is composed of one or more checkpoints, (for example, "All non-text content that is presented to the user has a text alternative that serves the equivalent purpose").

CHECKPOINT: consists of one or more checks and expresses concretely the requirements that must be met by one or more components of a Web page (tags, attributes, CSS properties etc.), such as "Accessibility issue, due to omitting the alt attribute on img elements, area elements, and input elements of type image".




EVALUATION OVERVIEW

BASE URL	https://www.comune.formia.lt.it/
CRAWLING PARAMETERS	
Number of pages	10
Depth	10
NUMBER OF EVALUATED WEB PAGES	10
EVALUATION DATE	12 ago 2022
EVALUATION TIME	13:06:

MAUVE++ ACCESSIBILITY PERCENTAGE

The MAUVE++ accessibility percentage is a measure which indicates how much the website is accessible in terms of the number of checkpoints successfully evaluated over the total number of evaluated checkpoints for which the tool has been able to make a validation. Such a measure is computed over the total of the evaluated web pages.


95%



MAUVE++ EVALUATION COMPLETENESS

The MAUVE++ evaluation completeness is a measure which indicates the percentage of evaluated checkpoints for which the tool has been able to make a validation. Such a measure is computed over the total of the evaluated web pages.

86%





EVALUATION OVERVIEW

TOTAL ERRORS

We compute the number of erroneous checkpoints for all the evaluated web pages, the total number of occurrences, and the average number of errors' occurrences per page.

14

TOTAL CHECKPOINT TYPES WITH RESULT "ERROR"

2418

TOTAL ERROR OCCURENCIES FOUND

241

AVERAGE ERROR OCCURENCIES PER PAGE

TOTAL WARNINGS

We compute the number of warning checkpoints for all the evaluated web pages, the total number of occurrences, and the average number of warnings' occurrences per page.

12

TOTAL CHECKPOINT TYPES WITH RESULT "WARNING"

5338

TOTAL WARNINGS OCCURENCIES FOUND

533

AVERAGE WARNING OCCURENCIES PER PAGE



EVALUATION OVERVIEW

MOST ERRONEUS PAGES

We compute a rank of the most erroneous pages of the website, according to the occurrences of errors found in each evaluated page.


1. <https://www.comune.formia.lt.it/articolo/istruzioni-residenza>
2. <https://www.comune.formia.lt.it/bandiera-verde-spiaggia-bambini-2019>
3. <https://www.comune.formia.lt.it/avvocatura-comunale>



PAGES EVALUATION

PAGE URL: <https://www.comune.formia.it/articolo/istruzioni-residenza>

ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	2
E	SC 1.1.1 - 1.3.1 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	4
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	127
E	SC 1.3.1 - 1.4.5 - 1.4.9 - Tech G140 Separating information and structure from presentation to enable different presentations	3
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	2



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.8 - Tech C19 Specifying alignment either to the left OR right in CSS	55
E	SC 1.4.4 - 1.4.5 - 1.4.8 - 1.4.9 - Tech C12-13-14 Using percent, em units or named font sizes	6
E	SC 1.4.6 - Tech G17 Ensuring that a contrast ratio of at least 7:1 exists between text (and images of text) and background behind the text	2
E	SC 1.4.3 - 1.4.6 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	6
E	SC 1.4.4 - 1.4.8 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	22
W	SC 1.4.8 - 1.4.12 - Tech C21 Specifying line spacing in CSS	355
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	73
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	70
W	SC 1.3.1 - 1.3.6 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
UNDERSTANDABLE		
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	2
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	127
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 2.4.4 - 2.4.9 - Tech H33 Supplementing link text with the title attribute	3
W	SC 2.5.1 - Tech G215 Providing controls to achieve the same result as path based or multipoint gestures	15
ROBUST		
E	SC 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	4
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4



PAGES EVALUATION

PAGE URL: <https://www.comune.formia.it/articolo/istruzioni-residenza>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 1.3.6 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.6 - Tech G17 Ensuring that a contrast ratio of at least 7:1 exists between text (and images of text) and background behind the text	2
E	SC 1.4.3 - 1.4.6 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	6
CONTENT		
E	SC 1.4.8 - Tech C19 Specifying alignment either to the left OR right in CSS	55
E	SC 1.4.4 - 1.4.5 - 1.4.8 - 1.4.9 - Tech C12-13-14 Using percent, em units or named font sizes	6
W	SC 1.4.8 - 1.4.12 - Tech C21 Specifying line spacing in CSS	355
FORM		
E	SC 1.1.1 - 1.3.1 - 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	4
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	127
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 2.5.1 - Tech G215 Providing controls to achieve the same result as path based or multipoint gestures	15
HTML		
E	SC 1.3.1 - 1.4.5 - 1.4.9 - Tech G140 Separating information and structure from presentation to enable different presentations	3
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	2
LINK		



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	73
W	SC 2.4.4 - 2.4.9 - Tech H33 Supplementing link text with the title attribute	3
RESPONSIVE		
E	SC 1.4.4 - 1.4.8 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	22
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	70
TABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	2
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.formia.it/articolo/istruzioni-residenza>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.8 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	22
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.8 - Tech C19 Specifying alignment either to the left OR right in CSS	55
E	SC 1.4.4 - 1.4.5 - 1.4.8 - 1.4.9 - Tech C12-13-14 Using percent, em units or named font sizes	6
E	SC 1.4.6 - Tech G17 Ensuring that a contrast ratio of at least 7:1 exists between text (and images of text) and background behind the text	2
E	SC 1.4.3 - 1.4.6 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	6
W	SC 1.4.8 - 1.4.12 - Tech C21 Specifying line spacing in CSS	355



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	70
HTML		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	2
E	SC 1.1.1 - 1.3.1 - 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	4
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	127
E	SC 1.3.1 - 1.4.5 - 1.4.9 - Tech G140 Separating information and structure from presentation to enable different presentations	3
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	73
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	2
W	SC 1.3.1 - 1.3.6 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 2.4.4 - 2.4.9 - Tech H33 Supplementing link text with the title attribute	3
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4
W	SC 2.5.1 - Tech G215 Providing controls to achieve the same result as path based or multipoint gestures	15



PAGES EVALUATION

PAGE URL: <https://www.comune.formia.it/bandiera-verde-spiaggia-bambini-2>

ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.4 - 1.4.8 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	21
E	SC 1.1.1 - 1.3.1 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	4
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	118
E	SC 1.3.1 - 1.4.5 - 1.4.9 - Tech G140 Separating information and structure from presentation to enable different presentations	3
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	2



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.8 - Tech C19 Specifying alignment either to the left OR right in CSS	47
E	SC 1.4.4 - 1.4.5 - 1.4.8 - 1.4.9 - Tech C12-13-14 Using percent, em units or named font sizes	6
E	SC 1.4.6 - Tech G17 Ensuring that a contrast ratio of at least 7:1 exists between text (and images of text) and background behind the text	2
E	SC 1.4.3 - 1.4.6 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.1.1 - 1.2.1 - Tech F30 Failure of Success Criterion 1.1.1 and 1.2.1 due to using text alternatives that are not alternatives (e.g., filenames or placeholder text)	1
W	SC 1.4.8 - 1.4.12 - Tech C21 Specifying line spacing in CSS	319
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	63
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	68
W	SC 1.3.1 - 1.3.6 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
UNDERSTANDABLE		
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	2
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	118
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 2.4.4 - 2.4.9 - Tech H33 Supplementing link text with the title attribute	2
W	SC 2.5.1 - Tech G215 Providing controls to achieve the same result as path based or multipoint gestures	14
ROBUST		
E	SC 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	4
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4



PAGES EVALUATION

PAGE URL: <https://www.comune.formia.it/bandiera-verde-spiaggia-bambini-2>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
W	SC 1.3.1 - 1.3.6 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4
COLOR		
E	SC 1.4.6 - Tech G17 Ensuring that a contrast ratio of at least 7:1 exists between text (and images of text) and background behind the text	2



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.6 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
CONTENT		
E	SC 1.4.8 - Tech C19 Specifying alignment either to the left OR right in CSS	47
E	SC 1.4.4 - 1.4.5 - 1.4.8 - 1.4.9 - Tech C12-13-14 Using percent, em units or named font sizes	6
W	SC 1.4.8 - 1.4.12 - Tech C21 Specifying line spacing in CSS	319
FORM		
E	SC 1.1.1 - 1.3.1 - 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	4
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	118
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 2.5.1 - Tech G215 Providing controls to achieve the same result as path based or multipoint gestures	14
HTML		
E	SC 1.3.1 - 1.4.5 - 1.4.9 - Tech G140 Separating information and structure from presentation to enable different presentations	3
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	2
IMG		
W	SC 1.1.1 - 1.2.1 - Tech F30 Failure of Success Criterion 1.1.1 and 1.2.1 due to using text alternatives that are not alternatives (e.g., filenames or placeholder text)	1



PAGES EVALUATION


E/W	Errors	No. of occurrences
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	63
W	SC 2.4.4 - 2.4.9 - Tech H33 Supplementing link text with the title attribute	2
RESPONSIVE		
E	SC 1.4.4 - 1.4.8 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	21
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	68



PAGES EVALUATION

PAGE URL: <https://www.comune.formia.it/bandiera-verde-spiaggia-bambini-2>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.8 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	21
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.8 - Tech C19 Specifying alignment either to the left OR right in CSS	47
E	SC 1.4.4 - 1.4.5 - 1.4.8 - 1.4.9 - Tech C12-13-14 Using percent, em units or named font sizes	6
E	SC 1.4.6 - Tech G17 Ensuring that a contrast ratio of at least 7:1 exists between text (and images of text) and background behind the text	2
E	SC 1.4.3 - 1.4.6 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.8 - 1.4.12 - Tech C21 Specifying line spacing in CSS	319



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	68
HTML		
E	SC 1.1.1 - 1.3.1 - 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	4
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	118
E	SC 1.3.1 - 1.4.5 - 1.4.9 - Tech G140 Separating information and structure from presentation to enable different presentations	3
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 1.1.1 - 1.2.1 - Tech F30 Failure of Success Criterion 1.1.1 and 1.2.1 due to using text alternatives that are not alternatives (e.g., filenames or placeholder text)	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	63
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	2
W	SC 1.3.1 - 1.3.6 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 2.4.4 - 2.4.9 - Tech H33 Supplementing link text with the title attribute	2
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4
W	SC 2.5.1 - Tech G215 Providing controls to achieve the same result as path based or multipoint gestures	14



PAGES EVALUATION

PAGE URL: <https://www.comune.formia.it/avvocatura-comunale>

ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	2
E	SC 1.1.1 - 1.3.1 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	4
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	123
E	SC 1.3.1 - 1.4.5 - 1.4.9 - Tech G140 Separating information and structure from presentation to enable different presentations	3
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	2



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.8 - Tech C19 Specifying alignment either to the left OR right in CSS	55
E	SC 1.4.4 - 1.4.5 - 1.4.8 - 1.4.9 - Tech C12-13-14 Using percent, em units or named font sizes	6
E	SC 1.4.6 - Tech G17 Ensuring that a contrast ratio of at least 7:1 exists between text (and images of text) and background behind the text	2
E	SC 1.4.3 - 1.4.6 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	5
E	SC 1.4.4 - 1.4.8 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	22
W	SC 1.4.8 - 1.4.12 - Tech C21 Specifying line spacing in CSS	337
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	69
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	70
W	SC 1.3.1 - 1.3.6 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
UNDERSTANDABLE		
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	2
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	123
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 2.4.4 - 2.4.9 - Tech H33 Supplementing link text with the title attribute	3
W	SC 2.5.1 - Tech G215 Providing controls to achieve the same result as path based or multipoint gestures	16
ROBUST		
E	SC 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	4
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4



PAGES EVALUATION

PAGE URL: <https://www.comune.formia.it/avvocatura-comunale>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 1.3.6 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.6 - Tech G17 Ensuring that a contrast ratio of at least 7:1 exists between text (and images of text) and background behind the text	2
E	SC 1.4.3 - 1.4.6 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	5
CONTENT		
E	SC 1.4.8 - Tech C19 Specifying alignment either to the left OR right in CSS	55
E	SC 1.4.4 - 1.4.5 - 1.4.8 - 1.4.9 - Tech C12-13-14 Using percent, em units or named font sizes	6
W	SC 1.4.8 - 1.4.12 - Tech C21 Specifying line spacing in CSS	337
FORM		
E	SC 1.1.1 - 1.3.1 - 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	4
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	123
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 2.5.1 - Tech G215 Providing controls to achieve the same result as path based or multipoint gestures	16
HTML		
E	SC 1.3.1 - 1.4.5 - 1.4.9 - Tech G140 Separating information and structure from presentation to enable different presentations	3
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	2
LINK		



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	69
W	SC 2.4.4 - 2.4.9 - Tech H33 Supplementing link text with the title attribute	3
RESPONSIVE		
E	SC 1.4.4 - 1.4.8 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	22
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	70
TABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	2
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.formia.it/avvocatura-comunale>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.8 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	22
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.8 - Tech C19 Specifying alignment either to the left OR right in CSS	55
E	SC 1.4.4 - 1.4.5 - 1.4.8 - 1.4.9 - Tech C12-13-14 Using percent, em units or named font sizes	6
E	SC 1.4.6 - Tech G17 Ensuring that a contrast ratio of at least 7:1 exists between text (and images of text) and background behind the text	2
E	SC 1.4.3 - 1.4.6 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	5
W	SC 1.4.8 - 1.4.12 - Tech C21 Specifying line spacing in CSS	337



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	70
HTML		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	2
E	SC 1.1.1 - 1.3.1 - 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	4
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	123
E	SC 1.3.1 - 1.4.5 - 1.4.9 - Tech G140 Separating information and structure from presentation to enable different presentations	3
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	69
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	2
W	SC 1.3.1 - 1.3.6 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 2.4.4 - 2.4.9 - Tech H33 Supplementing link text with the title attribute	3
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4
W	SC 2.5.1 - Tech G215 Providing controls to achieve the same result as path based or multipoint gestures	16



PAGES EVALUATION

PAGE URL: <https://www.comune.formia.it/>

ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.1.1 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	38
E	SC 1.1.1 - 1.3.1 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	4
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	168
E	SC 1.3.1 - 1.4.5 - 1.4.9 - Tech G140 Separating information and structure from presentation to enable different presentations	3
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	2



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.8 - Tech C19 Specifying alignment either to the left OR right in CSS	86
E	SC 1.4.4 - 1.4.5 - 1.4.8 - 1.4.9 - Tech C12-13-14 Using percent, em units or named font sizes	18
E	SC 1.4.6 - Tech G17 Ensuring that a contrast ratio of at least 7:1 exists between text (and images of text) and background behind the text	13
E	SC 1.4.3 - 1.4.6 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	20
E	SC 1.4.4 - 1.4.8 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	37
W	SC 1.1.1 - 1.2.1 - Tech F30 Failure of Success Criterion 1.1.1 and 1.2.1 due to using text alternatives that are not alternatives (e.g., filenames or placeholder text)	18
W	SC 1.4.8 - 1.4.12 - Tech C21 Specifying line spacing in CSS	473
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	84
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	102
W	SC 1.3.1 - 1.3.6 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
UNDERSTANDABLE		
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	2
OPERABLE		
E	SC 2.4.4 - 2.4.9 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	38
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	168
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
W	SC 2.4.4 - 2.4.9 - Tech H33 Supplementing link text with the title attribute	2
W	SC 2.5.1 - Tech G215 Providing controls to achieve the same result as path based or multipoint gestures	16
ROBUST		
E	SC 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	4
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4



PAGES EVALUATION

PAGE URL: <https://www.comune.formia.it/>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
W	SC 1.3.1 - 1.3.6 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4
COLOR		
E	SC 1.4.6 - Tech G17 Ensuring that a contrast ratio of at least 7:1 exists between text (and images of text) and background behind the text	13



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.6 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	20
CONTENT		
E	SC 1.4.8 - Tech C19 Specifying alignment either to the left OR right in CSS	86
E	SC 1.4.4 - 1.4.5 - 1.4.8 - 1.4.9 - Tech C12-13-14 Using percent, em units or named font sizes	18
W	SC 1.4.8 - 1.4.12 - Tech C21 Specifying line spacing in CSS	473
FORM		
E	SC 1.1.1 - 1.3.1 - 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	4
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	168
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 2.5.1 - Tech G215 Providing controls to achieve the same result as path based or multipoint gestures	16
HTML		
E	SC 1.3.1 - 1.4.5 - 1.4.9 - Tech G140 Separating information and structure from presentation to enable different presentations	3
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	2
IMG		
W	SC 1.1.1 - 1.2.1 - Tech F30 Failure of Success Criterion 1.1.1 and 1.2.1 due to using text alternatives that are not alternatives (e.g., filenames or placeholder text)	18



PAGES EVALUATION


E/W	Errors	No. of occurrences
LINK		
E	SC 1.1.1 - 2.4.4 - 2.4.9 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	38
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	84
W	SC 2.4.4 - 2.4.9 - Tech H33 Supplementing link text with the title attribute	2
RESPONSIVE		
E	SC 1.4.4 - 1.4.8 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	37
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	102



PAGES EVALUATION

PAGE URL: <https://www.comune.formia.it/>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.8 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	37
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.8 - Tech C19 Specifying alignment either to the left OR right in CSS	86
E	SC 1.4.4 - 1.4.5 - 1.4.8 - 1.4.9 - Tech C12-13-14 Using percent, em units or named font sizes	18
E	SC 1.4.6 - Tech G17 Ensuring that a contrast ratio of at least 7:1 exists between text (and images of text) and background behind the text	13
E	SC 1.4.3 - 1.4.6 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	20
W	SC 1.4.8 - 1.4.12 - Tech C21 Specifying line spacing in CSS	473



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	102
HTML		
E	SC 1.1.1 - 2.4.4 - 2.4.9 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	38
E	SC 1.1.1 - 1.3.1 - 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	4
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	168
E	SC 1.3.1 - 1.4.5 - 1.4.9 - Tech G140 Separating information and structure from presentation to enable different presentations	3
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 1.1.1 - 1.2.1 - Tech F30 Failure of Success Criterion 1.1.1 and 1.2.1 due to using text alternatives that are not alternatives (e.g., filenames or placeholder text)	18
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	84
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	2
W	SC 1.3.1 - 1.3.6 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
W	SC 2.4.4 - 2.4.9 - Tech H33 Supplementing link text with the title attribute	2
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4
W	SC 2.5.1 - Tech G215 Providing controls to achieve the same result as path based or multipoint gestures	16



PAGES EVALUATION

PAGE URL: <https://www.comune.formia.it/articolo/avviso-convocazione-del-co>

ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	2
E	SC 1.1.1 - 1.3.1 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	4
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	125
E	SC 1.3.1 - 1.4.5 - 1.4.9 - Tech G140 Separating information and structure from presentation to enable different presentations	3
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	2



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.8 - Tech C19 Specifying alignment either to the left OR right in CSS	55
E	SC 1.4.4 - 1.4.5 - 1.4.8 - 1.4.9 - Tech C12-13-14 Using percent, em units or named font sizes	6
E	SC 1.4.6 - Tech G17 Ensuring that a contrast ratio of at least 7:1 exists between text (and images of text) and background behind the text	2
E	SC 1.4.3 - 1.4.6 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	6
E	SC 1.4.4 - 1.4.8 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	22
W	SC 1.4.8 - 1.4.12 - Tech C21 Specifying line spacing in CSS	372
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	69
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	70
W	SC 1.3.1 - 1.3.6 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
UNDERSTANDABLE		
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	2
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	125
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 2.4.4 - 2.4.9 - Tech H33 Supplementing link text with the title attribute	4
W	SC 2.5.1 - Tech G215 Providing controls to achieve the same result as path based or multipoint gestures	15
ROBUST		
E	SC 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	4
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4



PAGES EVALUATION

PAGE URL: <https://www.comune.formia.it/articolo/avviso-convocazione-del-co>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 1.3.6 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.6 - Tech G17 Ensuring that a contrast ratio of at least 7:1 exists between text (and images of text) and background behind the text	2
E	SC 1.4.3 - 1.4.6 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	6
CONTENT		
E	SC 1.4.8 - Tech C19 Specifying alignment either to the left OR right in CSS	55
E	SC 1.4.4 - 1.4.5 - 1.4.8 - 1.4.9 - Tech C12-13-14 Using percent, em units or named font sizes	6
W	SC 1.4.8 - 1.4.12 - Tech C21 Specifying line spacing in CSS	372
FORM		
E	SC 1.1.1 - 1.3.1 - 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	4
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	125
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 2.5.1 - Tech G215 Providing controls to achieve the same result as path based or multipoint gestures	15
HTML		
E	SC 1.3.1 - 1.4.5 - 1.4.9 - Tech G140 Separating information and structure from presentation to enable different presentations	3
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	2
LINK		



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	69
W	SC 2.4.4 - 2.4.9 - Tech H33 Supplementing link text with the title attribute	4
RESPONSIVE		
E	SC 1.4.4 - 1.4.8 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	22
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	70
TABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	2
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.formia.it/articolo/avviso-convocazione-del-co>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.8 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	22
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.8 - Tech C19 Specifying alignment either to the left OR right in CSS	55
E	SC 1.4.4 - 1.4.5 - 1.4.8 - 1.4.9 - Tech C12-13-14 Using percent, em units or named font sizes	6
E	SC 1.4.6 - Tech G17 Ensuring that a contrast ratio of at least 7:1 exists between text (and images of text) and background behind the text	2
E	SC 1.4.3 - 1.4.6 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	6
W	SC 1.4.8 - 1.4.12 - Tech C21 Specifying line spacing in CSS	372



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	70
HTML		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	2
E	SC 1.1.1 - 1.3.1 - 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	4
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	125
E	SC 1.3.1 - 1.4.5 - 1.4.9 - Tech G140 Separating information and structure from presentation to enable different presentations	3
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	69
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	2
W	SC 1.3.1 - 1.3.6 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 2.4.4 - 2.4.9 - Tech H33 Supplementing link text with the title attribute	4
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4
W	SC 2.5.1 - Tech G215 Providing controls to achieve the same result as path based or multipoint gestures	15



PAGES EVALUATION

PAGE URL: <https://www.comune.formia.it/servizi/fatturazione-elettronica>

ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.4 - 1.4.8 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	22
E	SC 1.1.1 - 1.3.1 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	4
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	125
E	SC 1.3.1 - 1.4.5 - 1.4.9 - Tech G140 Separating information and structure from presentation to enable different presentations	3
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	2



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.8 - Tech C19 Specifying alignment either to the left OR right in CSS	55
E	SC 1.4.4 - 1.4.5 - 1.4.8 - 1.4.9 - Tech C12-13-14 Using percent, em units or named font sizes	6
E	SC 1.4.6 - Tech G17 Ensuring that a contrast ratio of at least 7:1 exists between text (and images of text) and background behind the text	2
E	SC 1.4.3 - 1.4.6 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	5
W	SC 1.4.8 - 1.4.12 - Tech C21 Specifying line spacing in CSS	334
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	71
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	69
W	SC 1.3.1 - 1.3.6 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
UNDERSTANDABLE		
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	2
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	125
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 2.4.4 - 2.4.9 - Tech H33 Supplementing link text with the title attribute	3



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 2.5.1 - Tech G215 Providing controls to achieve the same result as path based or multipoint gestures	15
ROBUST		
E	SC 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	4
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4



PAGES EVALUATION

PAGE URL: <https://www.comune.formia.it/servizi/fatturazione-elettronica>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 1.3.6 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.6 - Tech G17 Ensuring that a contrast ratio of at least 7:1 exists between text (and images of text) and background behind the text	2
E	SC 1.4.3 - 1.4.6 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	5
CONTENT		
E	SC 1.4.8 - Tech C19 Specifying alignment either to the left OR right in CSS	55
E	SC 1.4.4 - 1.4.5 - 1.4.8 - 1.4.9 - Tech C12-13-14 Using percent, em units or named font sizes	6
W	SC 1.4.8 - 1.4.12 - Tech C21 Specifying line spacing in CSS	334
FORM		
E	SC 1.1.1 - 1.3.1 - 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	4
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	125
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 2.5.1 - Tech G215 Providing controls to achieve the same result as path based or multipoint gestures	15
HTML		
E	SC 1.3.1 - 1.4.5 - 1.4.9 - Tech G140 Separating information and structure from presentation to enable different presentations	3
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	2
LINK		



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	71
W	SC 2.4.4 - 2.4.9 - Tech H33 Supplementing link text with the title attribute	3
RESPONSIVE		
E	SC 1.4.4 - 1.4.8 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	22
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	69



PAGES EVALUATION

PAGE URL: <https://www.comune.formia.it/servizi/fatturazione-elettronica>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.8 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	22
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.8 - Tech C19 Specifying alignment either to the left OR right in CSS	55
E	SC 1.4.4 - 1.4.5 - 1.4.8 - 1.4.9 - Tech C12-13-14 Using percent, em units or named font sizes	6
E	SC 1.4.6 - Tech G17 Ensuring that a contrast ratio of at least 7:1 exists between text (and images of text) and background behind the text	2
E	SC 1.4.3 - 1.4.6 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	5
W	SC 1.4.8 - 1.4.12 - Tech C21 Specifying line spacing in CSS	334



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	69
HTML		
E	SC 1.1.1 - 1.3.1 - 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	4
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	125
E	SC 1.3.1 - 1.4.5 - 1.4.9 - Tech G140 Separating information and structure from presentation to enable different presentations	3
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	71
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	2
W	SC 1.3.1 - 1.3.6 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 2.4.4 - 2.4.9 - Tech H33 Supplementing link text with the title attribute	3
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4
W	SC 2.5.1 - Tech G215 Providing controls to achieve the same result as path based or multipoint gestures	15



PAGES EVALUATION

PAGE URL: <https://www.comune.formia.it/ giunta-0>

ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.4 - 1.4.8 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	21
E	SC 1.1.1 - 1.3.1 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	4
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	119
E	SC 1.3.1 - 1.4.5 - 1.4.9 - Tech G140 Separating information and structure from presentation to enable different presentations	3
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	2



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.8 - Tech C19 Specifying alignment either to the left OR right in CSS	47
E	SC 1.4.4 - 1.4.5 - 1.4.8 - 1.4.9 - Tech C12-13-14 Using percent, em units or named font sizes	6
E	SC 1.4.6 - Tech G17 Ensuring that a contrast ratio of at least 7:1 exists between text (and images of text) and background behind the text	2
E	SC 1.4.3 - 1.4.6 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.8 - 1.4.12 - Tech C21 Specifying line spacing in CSS	343
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	66
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	69
W	SC 1.3.1 - 1.3.6 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
UNDERSTANDABLE		
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	2
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	119
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 2.4.4 - 2.4.9 - Tech H33 Supplementing link text with the title attribute	2
W	SC 2.5.1 - Tech G215 Providing controls to achieve the same result as path based or multipoint gestures	14
ROBUST		
E	SC 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	4
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4



PAGES EVALUATION

PAGE URL: <https://www.comune.formia.it.it/giunta-0>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
W	SC 1.3.1 - 1.3.6 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4
COLOR		
E	SC 1.4.6 - Tech G17 Ensuring that a contrast ratio of at least 7:1 exists between text (and images of text) and background behind the text	2



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.6 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
CONTENT		
E	SC 1.4.8 - Tech C19 Specifying alignment either to the left OR right in CSS	47
E	SC 1.4.4 - 1.4.5 - 1.4.8 - 1.4.9 - Tech C12-13-14 Using percent, em units or named font sizes	6
W	SC 1.4.8 - 1.4.12 - Tech C21 Specifying line spacing in CSS	343
FORM		
E	SC 1.1.1 - 1.3.1 - 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	4
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	119
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 2.5.1 - Tech G215 Providing controls to achieve the same result as path based or multipoint gestures	14
HTML		
E	SC 1.3.1 - 1.4.5 - 1.4.9 - Tech G140 Separating information and structure from presentation to enable different presentations	3
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	2
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	66
W	SC 2.4.4 - 2.4.9 - Tech H33 Supplementing link text with the title attribute	2



PAGES EVALUATION


E/W	Errors	No. of occurrences
RESPONSIVE		
E	SC 1.4.4 - 1.4.8 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	21
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	69
TABLE		
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.formia.it/ giunta-0>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.8 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	21
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.8 - Tech C19 Specifying alignment either to the left OR right in CSS	47
E	SC 1.4.4 - 1.4.5 - 1.4.8 - 1.4.9 - Tech C12-13-14 Using percent, em units or named font sizes	6
E	SC 1.4.6 - Tech G17 Ensuring that a contrast ratio of at least 7:1 exists between text (and images of text) and background behind the text	2
E	SC 1.4.3 - 1.4.6 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.8 - 1.4.12 - Tech C21 Specifying line spacing in CSS	343



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	69
HTML		
E	SC 1.1.1 - 1.3.1 - 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	4
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	119
E	SC 1.3.1 - 1.4.5 - 1.4.9 - Tech G140 Separating information and structure from presentation to enable different presentations	3
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	66
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	2
W	SC 1.3.1 - 1.3.6 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 2.4.4 - 2.4.9 - Tech H33 Supplementing link text with the title attribute	2
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4
W	SC 2.5.1 - Tech G215 Providing controls to achieve the same result as path based or multipoint gestures	14



PAGES EVALUATION

PAGE URL: <https://www.comune.formia.it.it/user?current=node%2f15121>

ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.4 - 1.4.8 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	23
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	4
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	3
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	120
E	SC 1.3.1 - 1.4.5 - 1.4.9 - Tech G140 Separating information and structure from presentation to enable different presentations	3
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	3
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 1.4.8 - Tech C19 Specifying alignment either to the left OR right in CSS	48



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.4 - 1.4.5 - 1.4.8 - 1.4.9 - Tech C12-13-14 Using percent, em units or named font sizes	9
E	SC 1.4.6 - Tech G17 Ensuring that a contrast ratio of at least 7:1 exists between text (and images of text) and background behind the text	2
E	SC 1.4.3 - 1.4.6 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.8 - 1.4.12 - Tech C21 Specifying line spacing in CSS	321
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	65
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	70
W	SC 1.3.1 - 1.3.6 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
UNDERSTANDABLE		
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	2
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	3
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	120
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 2.4.4 - 2.4.9 - Tech H33 Supplementing link text with the title attribute	2
W	SC 2.5.1 - Tech G215 Providing controls to achieve the same result as path based or multipoint gestures	14



PAGES EVALUATION


E/W	Errors	No. of occurrences
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	5



PAGES EVALUATION

PAGE URL: <https://www.comune.formia.it.it/user?current=node%2f15121>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
W	SC 1.3.1 - 1.3.6 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	5
COLOR		
E	SC 1.4.6 - Tech G17 Ensuring that a contrast ratio of at least 7:1 exists between text (and images of text) and background behind the text	2



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.6 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
CONTENT		
E	SC 1.4.8 - Tech C19 Specifying alignment either to the left OR right in CSS	48
E	SC 1.4.4 - 1.4.5 - 1.4.8 - 1.4.9 - Tech C12-13-14 Using percent, em units or named font sizes	9
W	SC 1.4.8 - 1.4.12 - Tech C21 Specifying line spacing in CSS	321
FORM		
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	4
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	3
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	120
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 2.5.1 - Tech G215 Providing controls to achieve the same result as path based or multipoint gestures	14
HTML		
E	SC 1.3.1 - 1.4.5 - 1.4.9 - Tech G140 Separating information and structure from presentation to enable different presentations	3
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	2
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	65
W	SC 2.4.4 - 2.4.9 - Tech H33 Supplementing link text with the title attribute	2
RESPONSIVE		



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.4 - 1.4.8 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	23
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	3
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	70



PAGES EVALUATION

PAGE URL: <https://www.comune.formia.it.it/user?current=node%2f15121>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.8 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	23
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	3
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	3
E	SC 1.4.8 - Tech C19 Specifying alignment either to the left OR right in CSS	48
E	SC 1.4.4 - 1.4.5 - 1.4.8 - 1.4.9 - Tech C12-13-14 Using percent, em units or named font sizes	9
E	SC 1.4.6 - Tech G17 Ensuring that a contrast ratio of at least 7:1 exists between text (and images of text) and background behind the text	2
E	SC 1.4.3 - 1.4.6 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.8 - 1.4.12 - Tech C21 Specifying line spacing in CSS	321



PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	70
HTML		
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	4
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	120
E	SC 1.3.1 - 1.4.5 - 1.4.9 - Tech G140 Separating information and structure from presentation to enable different presentations	3
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	65
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	2
W	SC 1.3.1 - 1.3.6 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 2.4.4 - 2.4.9 - Tech H33 Supplementing link text with the title attribute	2
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	5
W	SC 2.5.1 - Tech G215 Providing controls to achieve the same result as path based or multipoint gestures	14




PAGES EVALUATION

PAGE URL:

<https://www.comune.formia.it/cookie-policy-informativa-sui-cook>

ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.4 - 1.4.8 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	21
E	SC 1.1.1 - 1.3.1 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	4
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	119
E	SC 1.3.1 - 1.4.5 - 1.4.9 - Tech G140 Separating information and structure from presentation to enable different presentations	3
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	2



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.8 - Tech C19 Specifying alignment either to the left OR right in CSS	47
E	SC 1.4.4 - 1.4.5 - 1.4.8 - 1.4.9 - Tech C12-13-14 Using percent, em units or named font sizes	6
E	SC 1.4.6 - Tech G17 Ensuring that a contrast ratio of at least 7:1 exists between text (and images of text) and background behind the text	2
E	SC 1.4.3 - 1.4.6 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.8 - 1.4.12 - Tech C21 Specifying line spacing in CSS	327
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	64
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	68
W	SC 1.3.1 - 1.3.6 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
UNDERSTANDABLE		
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	2
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	119
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 2.4.4 - 2.4.9 - Tech H33 Supplementing link text with the title attribute	2



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 2.5.1 - Tech G215 Providing controls to achieve the same result as path based or multipoint gestures	14
ROBUST		
E	SC 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	4
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4



PAGES EVALUATION

PAGE URL: <https://www.comune.formia.it/cookie-policy-informativa-sui-cook>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
W	SC 1.3.1 - 1.3.6 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4
COLOR		
E	SC 1.4.6 - Tech G17 Ensuring that a contrast ratio of at least 7:1 exists between text (and images of text) and background behind the text	2



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.6 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
CONTENT		
E	SC 1.4.8 - Tech C19 Specifying alignment either to the left OR right in CSS	47
E	SC 1.4.4 - 1.4.5 - 1.4.8 - 1.4.9 - Tech C12-13-14 Using percent, em units or named font sizes	6
W	SC 1.4.8 - 1.4.12 - Tech C21 Specifying line spacing in CSS	327
FORM		
E	SC 1.1.1 - 1.3.1 - 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	4
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	119
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 2.5.1 - Tech G215 Providing controls to achieve the same result as path based or multipoint gestures	14
HTML		
E	SC 1.3.1 - 1.4.5 - 1.4.9 - Tech G140 Separating information and structure from presentation to enable different presentations	3
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	2
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	64
W	SC 2.4.4 - 2.4.9 - Tech H33 Supplementing link text with the title attribute	2



PAGES EVALUATION


E/W	Errors	No. of occurrences
RESPONSIVE		
E	SC 1.4.4 - 1.4.8 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	21
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	68



PAGES EVALUATION

PAGE URL: <https://www.comune.formia.it/cookie-policy-informativa-sui-cook>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.8 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	21
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.8 - Tech C19 Specifying alignment either to the left OR right in CSS	47
E	SC 1.4.4 - 1.4.5 - 1.4.8 - 1.4.9 - Tech C12-13-14 Using percent, em units or named font sizes	6
E	SC 1.4.6 - Tech G17 Ensuring that a contrast ratio of at least 7:1 exists between text (and images of text) and background behind the text	2
E	SC 1.4.3 - 1.4.6 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.8 - 1.4.12 - Tech C21 Specifying line spacing in CSS	327



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	68
HTML		
E	SC 1.1.1 - 1.3.1 - 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	4
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	119
E	SC 1.3.1 - 1.4.5 - 1.4.9 - Tech G140 Separating information and structure from presentation to enable different presentations	3
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	64
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	2
W	SC 1.3.1 - 1.3.6 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 2.4.4 - 2.4.9 - Tech H33 Supplementing link text with the title attribute	2
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4
W	SC 2.5.1 - Tech G215 Providing controls to achieve the same result as path based or multipoint gestures	14



PAGES EVALUATION

PAGE URL: <https://www.comune.formia.it/dottssa-marina-saccoccia>

ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.4 - 1.4.8 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	22
E	SC 1.1.1 - 1.3.1 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	4
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	128
E	SC 1.3.1 - 1.4.5 - 1.4.9 - Tech G140 Separating information and structure from presentation to enable different presentations	3
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	2



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.8 - Tech C19 Specifying alignment either to the left OR right in CSS	55
E	SC 1.4.4 - 1.4.5 - 1.4.8 - 1.4.9 - Tech C12-13-14 Using percent, em units or named font sizes	6
E	SC 1.4.6 - Tech G17 Ensuring that a contrast ratio of at least 7:1 exists between text (and images of text) and background behind the text	2
E	SC 1.4.3 - 1.4.6 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	5
W	SC 1.1.1 - 1.2.1 - Tech F30 Failure of Success Criterion 1.1.1 and 1.2.1 due to using text alternatives that are not alternatives (e.g., filenames or placeholder text)	1
W	SC 1.4.8 - 1.4.12 - Tech C21 Specifying line spacing in CSS	374
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	75
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	70
W	SC 1.3.1 - 1.3.6 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
UNDERSTANDABLE		
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	2
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	128
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 2.4.4 - 2.4.9 - Tech H33 Supplementing link text with the title attribute	3
W	SC 2.5.1 - Tech G215 Providing controls to achieve the same result as path based or multipoint gestures	15
ROBUST		
E	SC 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	4
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4



PAGES EVALUATION

PAGE URL: <https://www.comune.formia.it/dottssa-marina-saccoccia>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 1.3.6 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.6 - Tech G17 Ensuring that a contrast ratio of at least 7:1 exists between text (and images of text) and background behind the text	2
E	SC 1.4.3 - 1.4.6 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	5
CONTENT		
E	SC 1.4.8 - Tech C19 Specifying alignment either to the left OR right in CSS	55
E	SC 1.4.4 - 1.4.5 - 1.4.8 - 1.4.9 - Tech C12-13-14 Using percent, em units or named font sizes	6
W	SC 1.4.8 - 1.4.12 - Tech C21 Specifying line spacing in CSS	374
FORM		
E	SC 1.1.1 - 1.3.1 - 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	4
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	128
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 2.5.1 - Tech G215 Providing controls to achieve the same result as path based or multipoint gestures	15
HTML		
E	SC 1.3.1 - 1.4.5 - 1.4.9 - Tech G140 Separating information and structure from presentation to enable different presentations	3
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	2
IMG		



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.1.1 - 1.2.1 - Tech F30 Failure of Success Criterion 1.1.1 and 1.2.1 due to using text alternatives that are not alternatives (e.g., filenames or placeholder text)	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	75
W	SC 2.4.4 - 2.4.9 - Tech H33 Supplementing link text with the title attribute	3
RESPONSIVE		
E	SC 1.4.4 - 1.4.8 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	22
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	70



PAGES EVALUATION

PAGE URL: <https://www.comune.formia.it/dottssa-marina-saccoccia>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.8 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	22
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.8 - Tech C19 Specifying alignment either to the left OR right in CSS	55
E	SC 1.4.4 - 1.4.5 - 1.4.8 - 1.4.9 - Tech C12-13-14 Using percent, em units or named font sizes	6
E	SC 1.4.6 - Tech G17 Ensuring that a contrast ratio of at least 7:1 exists between text (and images of text) and background behind the text	2
E	SC 1.4.3 - 1.4.6 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	5
W	SC 1.4.8 - 1.4.12 - Tech C21 Specifying line spacing in CSS	374



PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	70
HTML		
E	SC 1.1.1 - 1.3.1 - 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	4
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	128
E	SC 1.3.1 - 1.4.5 - 1.4.9 - Tech G140 Separating information and structure from presentation to enable different presentations	3
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 1.1.1 - 1.2.1 - Tech F30 Failure of Success Criterion 1.1.1 and 1.2.1 due to using text alternatives that are not alternatives (e.g., filenames or placeholder text)	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	75
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	2
W	SC 1.3.1 - 1.3.6 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 2.4.4 - 2.4.9 - Tech H33 Supplementing link text with the title attribute	3
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4
W	SC 2.5.1 - Tech G215 Providing controls to achieve the same result as path based or multipoint gestures	15

HIIS LAB @ ISTI-CNR

Pisa • Italy

Interest in design and development of interactive software applications has increased considerably over the last few years. The underlying reason for this interest is the need to provide the greatest number of people with access to applications for the largest number of purposes and in the widest number of contexts. Our research activity is in methods and tools to support user interface designers, software developers, and end users in obtaining systems that can be accessed from different contexts of use (devices, users, physical and social environments) in such a way to improve usability, accessibility, and user experience.

The main goal is to propose new solutions in basic and applied research in the field of human-computer interaction, specifically in user interface software and technologies, mainly under the aegis of national and international programmes and private sector R&D contracts. One of the first groups in Italy in the HCI area, we have become well-known at an International level, as demonstrated by participation in numerous European projects and the board of the most important HCI conferences, and publications in the major HCI and software engineering journals and conferences.

The main research areas concern Methods and Tools for the Analysis, Design and Development of Interactive Applications, Intelligent Interfaces, Interfaces for Ubiquitous Applications, MultiModal Interfaces, Accessibility, Usability Engineering and Models for HCI. Such work has led to the development of a numbers of tools and applications, many of which are publicly available for download.

Via G.Moruzzi 1

56124 Pisa Italy

Room: Building B - Entrance 17 - II Floor

<http://hiis.isti.cnr.it/lab/home>